

# UNSTOPPABLE JGERBER®

sprzęt specjalistyczny

Noże Narzędzia Profesjonalny sprzęt outdoorowy





#### Ø6 AUTOMATIC™

OVERALL LENGTH: 8.5" CLOSED LENGTH: 4.8" BLADE LENGTH: 3.8" WEIGHT: 6.3 OZ. BLADE: HANDLE: G-1Ø COMPOSITE OR ANODIZED ALUMINUM



Honoring the American heritage and time-tested durability of the Ø6 Automatic family, Gerber proudly presents an innovative evolution of everything that made the original the best in its class. The Ø6 Automatic 10th Anniversary knife is a special edition celebration of Gerber's craftsmanship, design, and spirit. Thoughtful upgrades nod to Gerber's continued service to the US military: the multicam® aluminum handle, the specialty stone black oxide finish on the S3ØV blade, as well as the commemorative reverse flag laser mark honoring those who serve. Born on the battlefield and tested everywhere else, this is a collectible not to be missed.

BLISTER	BOX	NSN	DESCRIPTION
N/A	3Ø-ØØ16ØØ	N/A	NEW FINE EDGE/DROP POINT, MULTICAM® BLACK + BLACK BLADE
N/A	3Ø-ØØ1263	N/A	10TH ANNIVERSARY, GREEN, FINE EDGE/DROP POINT, STONEWASH
N/A	3Ø-ØØ1295	N/A	FINE EDGE/DROP POINT, BLACK + STRIKING POMMEL & OVERSIZE
			BLADE RELEASE BUTTON
N/A	3Ø-ØØ1297	N/A	FINE EDGE/TANTO, BLACK + STRIKING POMMEL & OVERSIZE BLADE
			RELEASE BUTTON
N/A	3Ø-ØØ1296	N/A	FINE EDGE/TANTO G-1Ø + STRIKING POMMEL & OVERSIZE BLADE
			RELEASE BUTTON
N/A	3Ø-ØØØ377	N/A	SERRATED/DROP POINT, BLACK + STRIKING POMMEL & OVERSIZE
			BLADE RELEASE BUTTON
N/A	3Ø-ØØØ85Ø	N/A	SERRATED/TANTO, BLACK + STRIKING POMMEL & OVERSIZE BLADE
			RELEASE BUTTON
N/A	3Ø-ØØØ193	511Ø-Ø1-516-3243	SERRATED/TANTO G-1Ø + STRIKING POMMEL & OVERSIZE BLADE RELEASE BUTTON





#### **APPLEGATE-FAIRBAIRN COVERT® AUTOMATIC**

OVERALL LENGTH: 8.7" CLOSED LENGTH: 4.8" BLADE LENGTH: 3.8" WEIGHT: BLADE: S3ØV HANDLE: ANODIZED ALUMINUM



An evolution of the best-in-class Applegate-Fairbairn folder, this knife features a spring-loaded auto release that deploys at the touch of a button. With premium S3ØV fine edge steel and a perfectly balanced design, this tactical auto is a sure favorite.



BLISTER	BOX	NSN	DESCRIPTION
N/A	3Ø-ØØ16Ø1	N/A	NEW FINE EDGE/SPEAR POINT, MULTICAM® BLACK + BLACK BLADE
N/A	3Ø-ØØ13Ø7	N/A	FINE EDGE/SPEAR POINT, TACTICAL GREY + STONEWASH BLADE
N/A	3Ø-ØØ13Ø6	N/A	FINE EDGE/SPEAR POINT, TACTICAL GREY + BLACK BLADE
NI/A	20/ 0/0/0/127	511 <b>6</b> 520 0000	SEDDATED/SDEAD DOINT DIACK : DIACK DIADE

#### APPLEGATE-FAIRBAIRN MINI COVERT® AUTOMATIC

OVERALL LENGTH: 6.5" CLOSED LENGTH: 3.8" BLADE LENGTH: 2.8" WEIGHT: 2.1 OZ. BLADE: S3ØV HANDLE: ANODIZED ALUMINUM



				-
BLISTER	BOX	NSN	DESCRIPTION	1
N/A	3Ø-ØØ1395	N/A	FINE EDGE/SPEAR POINT, TACTICAL GREY + STONEWASH BLADE	i
N/A	3Ø-ØØ1394	N/A	FINE EDGE/SPEAR POINT, BLACK + BLACK BLADE	1
N/A	3Ø-ØØ1396	N/A	FINE EDGE/SPEAR POINT, COYOTE BROWN + BLACK BLADE	i

# APPLEGATE-FAIRBAIRN MINI COVERT® AUTOMATIC

OVERALL LENGTH: 6.5" CLOSED LENGTH: 3.8" BLADE LENGTH: 2.8" WEIGHT: BLADE: HANDLE: ANODIZED ALUMINUM



USA MADE

BLISTER	BOX	NSN	DESCRIPTION
N/A	3Ø-ØØØ244	N/A	SERRATED/SPEAR POINT, BLACK + BLACK BLADE

#### **NEW EMPOWER™ AUTOMATIC**

OVERALL LENGTH: 8.4" CLOSED LENGTH: 4.8" BLADE LENGTH: 3.25" WEIGHT: 4.6 OZ. BLADE: S3ØV HANDLE: TYPE III HARD ANODIZED CONSTRUCTION

Based on the field-proven Propel, the Empower is an automatic knife that caters to the everyday carry consumer. Military-grade insight and materials evolve to bridge the gap between function and fashion: a daily workhorse wielding quick deployment and a safety-focused design that delivers aesthetically.









KNIVES I AUTOMATIC







#### **EMERSON ALLIANCE™ AUTOMATIC**

OVERALL LENGTH: 8.7" CLOSED LENGTH: 5.4" BLADE LENGTH: 3.4" WEIGHT: BLADE: 154CM HANDLE: 6Ø61 T6 ALUMINUM

Built for the demands of the tactical user, this knife offers fully automatic deployment, a stealth black oxide-coated 154CM blade, and a 6Ø61-T6 anodized aluminum handle.



BEIZIEK BOY NON DEZEKILLION	BLISTER	BOX	NSN	DESCRIPTION
-----------------------------	---------	-----	-----	-------------

N/A 22-Ø7158 511Ø-Ø1-516-3244 SERRATED/DROP POINT/154CM + CROSSBOLT SAFETY

#### **PROPEL™ AUTOMATIC**

OVERALL LENGTH: 8.4" CLOSED LENGTH: 4.8" BLADE LENGTH: 3.25" WEIGHT: 4.6 OZ. BLADE: HANDLE: G-1Ø COMPOSITE

Building on the field-proven performance and fast, one-handed blade deployment of the long-popular Ø6 Auto knife, the Propel packs the same level of full size utility and durability in a slimmer, more pocket-friendly profile. Updated with a new OD Green handle and multiple blade finishes, it is the perfect addition to your arsenal.



BLISTER	BOX	NSN	DESCRIPTION
N/A	3Ø-ØØ1317	N/A	FINE EDGE, TANTO, OD GREEN + BLACK BLADE & G-1Ø
			COMPOSITE HANDLE
N/A	3Ø-ØØ13Ø8	N/A	FINE EDGE, TANTO, OD GREEN + K-POLISH BLADE & G-1Ø
			COMPOSITE HANDLE
N/A	3Ø-ØØ13Ø9	N/A	SERRATED, TANTO, OD GREEN + BLACK BLADE & G-1Ø
			COMPOSITE HANDLE
N/A	3Ø-ØØØ717	N/A	SERRATED, TANTO, DOWNRANGE, TAN + G-1Ø COMPOSITE HANDLE
N/A	3Ø-ØØØ842	1Ø95-Ø1-6ØØ-Ø972	SERRATED, TANTO, BLACK + G-1Ø COMPOSITE HANDLE

# NOTES

#### PROPEL™ AO

USA MADE

USA MADE

OVERALL LENGTH: 8.52" CLOSED LENGTH: 5.Ø" BLADE LENGTH: 3.5" WEIGHT: 4.28 OZ. BLADE: 42ØHC OR S3ØV HANDLE: G-1Ø COMPOSITE







BLISTER	BOX	NSN	DESCRIPTION
N/A	3Ø-ØØØ84Ø	N/A	SERRATED/TANTO/BLACK/42ØHC + ASSISTED OPENING W/ PLUNGE
			LOCK & SAFETY
N/A	3Ø-ØØØ845	1Ø95-Ø1-598-4472	SERRATED/TANTO/BLACK/S3ØV + ASSISTED OPENING W/ PLUNGE
			LOCK & SAFETY
N/A	3Ø-ØØØ841	N/A	SERRATED/TANTO/DOWNRANGE/S3ØV + ASSISTED OPENING W/ PLUNG
			LOCK & SAFETY

#### **US-ASSIST™**

OVERALL LENGTH: 7.2" CLOSED LENGTH: 4.25" BLADE LENGTH: 3.Ø" WEIGHT: 4.8 OZ. S3ØV OR 42ØHC GLASS-FILLED NYLON

Designed and built in Portland, Oregon, this assisted-opening knife offers Gerber's smoothest, most consistent deployment to date. Including B.O.S.S. Tech $^{TM}$ , it features a ball-bearing system to reduce friction & provide stable performance for the long haul. Intuitively designed and painstakingly tested, the US-Assist is the next generation of the everyday pocket knife.



BLISTER	BOX	NSN	DESCRIPTION
N/A	3Ø-ØØ12Ø5	N/A	FINE EDGE/DROP POINT/S3ØV + PLUNGE LOCK W/ DUAL
			THUMBSTUDS & POCKET CLIP
31-ØØ31Ø5	3Ø-ØØ12Ø6	N/A	FINE EDGE/DROP POINT/42ØHC + PLUNGE LOCK W/ DUAL
			THUMBSTUDS & POCKET CLIP
31-ØØ324Ø	3Ø-ØØ1294	N/A	SERRATED EDGE/DROP POINT/42ØHC + PLUNGE LOCK W/ DUAL
			THUMBSTUDS & DOCKET OUD

#### **NOTES**

8 KNIVES I AUTOMATIC KNIVES I ASSISTED OPENING







#### **CRISIS HOOK KNIFE™**

OVERALL LENGTH: 8.1" BLADE LENGTH: 2.9" WEIGHT: 3.Ø OZ. BLADE: 42ØHC HANDLE: RUBBER OVERMOLD



BLISTER	BOX	NSN	DESCRIPTION
N/A	3Ø-ØØØ59Ø	N/A	SINGLE BEVEL + HOOK + TAN MOLLE-COMPATIBLE SHEATH

# **■** GHOSTRIKE™ FIXED BLADE / DELUXE KIT

OVERALL LENGTH: 6.9" BLADE LENGTH: 3.3 " WEIGHT: W/ SHEATH 3.6 OZ. [W/ ANKLE WRAP] 6.Ø OZ. BLADE: 42ØHC CERAMIC CERAKOTE® HANDLE: RUBBER OVERMOLD

INCLUDED



LISTER	BOX	NSN	DESCRIPTION
1-ØØ2719	3Ø-ØØ1ØØ5	N/A	FINE EDGE/DROP POINT + SHEATH
/A	3Ø-ØØ1ØØ6	N/A	FINE EDGE/DROP POINT + SHEATH W/ NEOPRENE ANKLE WRAP

#### **GHOSTRIKE® SERIES PUNCH KNIFE**

OVERALL LENGTH:	4.8"
BLADE LENGTH:	2.5 "
WEIGHT:	W/ SHEATH 3.6 OZ.
	[W/ OUT SHEATH] 3.2 OZ.
BLADE:	42ØHC CERAMIC CERAKOTE®
HANDLE:	RUBBER OVERMOLD
SHEATH:	INCLUDED



BLISTER	BOX	NSN	DESCRIPTION
31-ØØ2721	3Ø-ØØ1ØØ7	N/A	FINE EDGE/DROP POINT + SHEATH W/ 55Ø CORD FOR NECK CARRY

# MARK II™

OVERALL LENGTH: 12.75" BLADE LENGTH: 6.5" WEIGHT: 8.Ø OZ. BLADE: 42ØHC W/ BLACK OXIDE HANDLE: DIE CAST ALUMINUM



First introduced in 1966, this combat knife has stood the test of time. Specifically designed for combat applications, the black oxide coated 420HC blade is double serrated. A die cast aluminum handle and and well-placed bolsters give secure grip.



DESCRIPTION

RLIZIEK	RUX	N2N	DESCRIPTION
N/A	22-Ø1874	N/A	SERRATED/DOUBLE BEVEL + BLACK SHEATH, STRAPS
PRODIG	/ <sup>TM</sup>		
			=== A211
OVERALL LENGTH:	9.75"		USA MADE
BLADE LENGTH:	4.75"		
WEIGHT:	W/ SHEATH 1	2.45 OZ.	
	W/O SHEATH	7.2 OZ.	
BLADE:	42ØHC W/ CI	ERAMIC	
	COATING		The state of the s
HANDLE:	GLASS-FILLE	D NYLON	•
	W/ RUBBER	OVERMOLD	
SHEATH:	INCLUDED		active of
BLISTER	вох	NSN	DESCRIPTION
22-41121	22-Ø1121	N/A	SERRATED/DROP POINT + BLACK SHEATH
	LL PIILI	1071	CEMULES/SIGN FORM   SELECTION SILENT

# **I** LMF™ II

SHEATH:

OVERALL LENGTH: 1Ø.59" BLADE LENGTH: 4.8" WEIGHT: W/ SHEATH 24.28 OZ. W/O SHEATH 11.67 OZ. BLADE: 42ØHC HANDLE: GLASS-FILLED NYLON SHEATH: INCLUDED



1	BLISTER	BOX	NSN	DESCRIPTION
1	22-41629	22-Ø1629	N/A	SERRATED/DROP POINT/BLACK + SHEATH, STRAPS [INFANTRY]
1	22-41463	22-Ø1463	N/A	SERRATED/DROP POINT/COYOTE BROWN + SHEATH, STRAPS [INFANTRY]
1	N/A	22-Ø1626	N/A	SERRATED/DROP POINT/FG5Ø4 GREEN + SHEATH, STRAPS [INFANTRY]
1 1 1	N/A	22-Ø1627G	1Ø95-Ø1-552-5218	SERRATED/DROP POINT/FG5Ø4 GREEN + SHEATH, STRAPS, STRAP CUTTER W/ SHEATH [ASEK]

#### **STRAP CUTTER™**

OVERALL LENGTH: 4.375" WEIGHT: 2.25 OZ. 42ØHC RUBBER OVERMOLD INCLUDED





BLISTER	BOX	NSN	DESCRIPTION
N/A	22-Ø1943	259Ø-Ø1-576-2424	SINGLE BEVEL W/ HOOK, FG5Ø4 GREEN + MOLDED PLASTIC SHEAT
N/A	22-Ø1944	511Ø-Ø1-578-489Ø	SINGLE BEVEL W/ HOOK, BLACK + MOLDED PLASTIC SHEATH
N/A	3Ø-ØØØ132	511Ø-Ø1-578-4889	SINGLE BEVEL W/ HOOK, COYOTE BROWN +
			MOLDED PLASTIC SHEATH

#### $\textbf{STRONGARM}^{\text{\tiny{TM}}}$

OVERALL LENGTH: 6.4" BLADE LENGTH: 4.8" WEIGHT: 7.2 OZ. HANDLE: GLASS-FILLED NYLON W/ RUBBER OVERMOLD

With a full tang, 42ØHC steel blade and rubberized diamond-texture grip, this is a knife you can bet your life on. A MOLLEcompatible multi-mount sheath system offers optimal customization, keeping your knife ever at the ready in combat situations.



BLISTER	BOX	NSN	DESCRIPTION
31-ØØ2882	3Ø-ØØ1Ø38		FINE EDGE/DROP POINT/FULL TANG +
			MOLLE-COMPATIBLE BLACK SHEATH
31-ØØ2931	3Ø-ØØ1Ø58		FINE EDGE/DROP POINT/FULL TANG +
			MOLLE-COMPATIBLE COYOTE BROWN SHEATH
31-ØØ2933	3Ø-ØØ1Ø6Ø		SERRATED/DROP POINT/FULL TANG +
			MOLLE-COMPATIBLE BLACK SHEATH
31-ØØ2932	3Ø-ØØ1Ø59		SERRATED/DROP POINT/FULL TANG +
			MOLLE-COMPATIBLE COYOTE BROWN SHEATH





USA		
MADE	6.8"	OVERALL LENGTH:
	3.5"	CLOSED LENGTH:
The State of the S	3.3"	BLADE LENGTH:
A A	3.8 OZ.	WEIGHT:
	CPM-S3ØV	BLADE:
	MACHINED MICARTA W/	HANDLE:
	HIGH-DENSITY POLYMER	
	DOLCTED	

.ISTER	BOX	NSN	DESCRIPTION
Α	3Ø-ØØ1Ø62	N/A	FINE EDGE/DROP POINT, LARGE THUMB LIFT

RUBBER OVERMOLDED

COMMU	ΓER™	
OVERALL LENGTH: CLOSED LENGTH:	7.2" 4.0"	No. Company
BLADE LENGTH:	3.Ø"	100
WEIGHT: BLADE:	1.6 OZ. 42ØHC	
HANDLE:	GLASS-FILLED NYLON W/ RUBBER INSERTS	

BLISTER	BOX	NSN	DESCRIPTION
31-ØØ3136	N/A	N/A	FINE EDGE/DROP POINT/FINGER JIMPING + LOCK BACK MECHANISM
			& NAIL NICK OPENING



BLISTER	BOX	NSN	DESCRIPTION
31-ØØ2718	3Ø-ØØ1ØØ4	N/A	SERRATED/MODIFIED TANTO + TEMPERED STEEL GLASS BREAKER




BLISTER	вох	NSN	DESCRIPTION
	3Ø-ØØ1Ø2Ø	N/A	FINE EDGE/TANTO/LOCK BACK MECHANISM + POCKET CLIP

LST'™ [LI	GHTWEIGHT	, STRONG, TOUGH]	
OVERALL LENGTH:	6.1	ı	USA MADE
CLOSED LENGTH:	3.6"		
BLADE LENGTH:	2.6"		
WEIGHT:	1.2 OZ.		
BLADE:	42ØHC		
HANDLE:	GLASS-FILLED NYLON		•

BLISTER	BOX	NSN	DESCRIPTION
46ØØ9	22-Ø6ØØ9	511Ø-Ø1-385-7236	FINE EDGE/DROP POINT + LOCK-BACK DESIGN
N/A	22-Ø6Ø5Ø	N/A	FINE EDGE/DROP POINT/ ULTRALIGHT LST + LOCK-BACK DESIGN

#### APPLEGATE-FAIRBAIRN COVERT®



USA MADE



BLISTER	BOX	NSN	DESCRIPTION
V/A	Ø5785	511Ø-Ø1-451-4943	SERRATED/DOUBLE BEVEL, STAINLESS STEEL + PATENTED
			ROTOLOCK MECHANISM
V/A	Ø5786	511Ø-Ø1-516-3228	SERRATED/DOUBLE BEVEL + TITANIUM NITRIDE COATED BLADE &
			PATENTED ROTOLOCK MECHANISM

#### OVERALL LENGTH: 8.5" CLOSED LENGTH: 4.9" BLADE LENGTH: 3.6" WEIGHT: 3.6 OZ. BLADE:



BLISTER	BOX	NSN	DESCRIPTION
N/A	30-001300	N/A	FINE EDGE/DROP POINT/LOCK BACK MECHANISM + POCKET CLIP

#### **≡** E-Z OUT™

N/A N/A

N/A





ı	BOX	NSN	DESCRIPTION
2	22-Ø1648G	511Ø-Ø1-452-2215	SERRATED, BLACK BLADE/DPSF + S3ØV BLADE W/ POCKET CLIP
2	22-Ø1643G	511Ø-Ø1-451-Ø7Ø7	SERRATED, SATIN BLADE/DPSF + S3ØV BLADE W/ POCKET CLIP
Ç	Ø6551	511Ø-Ø1-436-1548	SERRATED, EZ OUT JR + 42ØHC BLADE W/ POCKET CLIP
Ç	Ø6751	511Ø-Ø1-414-4916	SERRATED/CLIP POINT/SKELETON + 42ØHC BLADE W/ POCKET CLIP
Ç	Ø67Ø1	511Ø-Ø1-414-4918	FINE EDGE/CLIP POINT/SKELETON + 42ØHC BLADE W/ POCKET CLIP
Ş	Ø6971	511Ø-Ø1-516-3237	SERRATED + 42ØHC BLADE W/ POCKET CLIP & RESCUE YELLOW HANDLE

#### ORDER™

OVERALL LENGTH: 7.6" CLOSED LENGTH: 4.5" BLADE LENGTH: 3.1" WEIGHT: 2.6 OZ. BLADE: 42ØHC GLASS-FILLED NYLON W/ HANDLE: RUBBER OVERMOLDED



DESCRIPTION

- 1			
Ė ¦	OVERALL LENGTH:	6.1	
į	CLOSED LENGTH:	3.5"	
i i	BLADE LENGTH:	2.6"	
- 1	WEIGHT:	1.Ø 0Z.	
i	BLADE:	42ØHC	
- 1	HANDLE:	GLASS-FILLED NYLON	
- 1		W/ RUBBER OVERMOLD	
i			
- 1			
- 1			



აა	JU-UUIUII IVA SEKKAIEU/III		SERRALED/THUMB HULE + LUCK BACK UPENING/	DLISIEK	BUX	NON	DESCRIPTION
			CLOSING MECHANISM	31-ØØ3Ø4Ø	N/A	N/A	FINE EDGE/DROP POINT + THIN AND LIGHTWEIGHT W/ NAIL NICK
				1			

# **NEW SHARKBELLY™**

31-ØØ273

OVERALL LENGTH: 7.75" CLOSED LENGTH: 3.Ø" BLADE LENGTH: 3.25" WEIGHT: 2.3 OZ. BLADE: 42ØHC GLASS-FILLED NYLON HANDLE:

This take on the everyday carry pocket knife has serious bite. American made, dependable, and highly practical, a proven design is enhanced with a modern sheepsfoot blade w/ flat top serrations, textured Sharkskin Grip<sup>™</sup>, and a scratch-resistant pocket clip.



BLISTER	BOX	NSN	DESCRIPTION
31-ØØ3214	3Ø-ØØ14Ø9	N/A	FINE EDGE/ SHEEPSFOOT + LOCK BACK MECHANISM W/ WIRE
			POCKET CLIP
31-ØØ3216	3Ø-ØØ141Ø	N/A	SERRATED/ SHEEPSFOOT + LOCK BACK MECHANISM W/ WIRE
			POCKET CLIP

NOTES			

#### **APPLEGATE-FAIRBAIRN COMBAT FOLDER™**

OVERALL LENGTH: 1Ø.1" CLOSED LENGTH: 5.6" BLADE LENGTH: 4.5" WEIGHT: BLADE: HIGH CARBON HANDLE: GLASS-FILLED NYLON

With a 4 ½ inch double bevel partially serrated blade, the Combat Folder is an elegant close-quarter conflict knife. Dual thumb studs are present for easy one-hand opening of the blade. Featuring a sturdy grooved handle, and etched with the Applegate and Fairbairn signatures on the blade's face, the Applegate-Fairbairn Combat Folder looks and feels as impressively balanced and sturdy as its name suggests.





BLISTER	RUX	NSN	DESCRIPTION
N/A	Ø578Ø	511Ø-Ø1-436-1548	SPREAR POINT/SERRATED

#### NOTES



OVERALL LENGTH: 7.5" WEIGHT: 13.1 OZ. # TOOLS: 12





BOX	NSN	DESCRIPTION
3Ø-ØØØ399	511Ø-Ø1-598-2253	GLASS-FILLED NYLON MOLDED HANDLES + BLACK SHEATH
3Ø-ØØØ397	511Ø-Ø1-598-2254	GLASS-FILLED NYLON MOLDED HANDLES + COYOTE BROWN SHEATH
30-000398	5110-01-598-2248	GLASS-FILLED NYLON MOLDED HANDLES + MULTI-CAM SHEATH

#### **E** CREW SERVED WEAPONS TOOL™

OVERALL LENGTH: 3.8" x 1.3" x .96" CLOSED LENGTH: 3.94" WEIGHT: 4.5 OZ # TOOLS:

1	BLISTER	BOX	NSN	DESCRIPTION
H	N/A	3Ø-ØØØ853	511Ø-Ø1-641-4777	M24Ø & M249 AUTOMATIC WEAPONS TOOL + MOLLE SHEATH

# **NEW CENTER-DRIVE®**

W/ CENTER AXIS TECHT

BLISTER

N/A

N/A


OVERALL LENGTH: 6.5" CLOSED LENGTH: 4.7" WEIGHT: 9.5 OZ. # T00LS: 14

The Center-Drive offers uncompromising performance through revolutionary design. It has an innovative center-axis driver that opens to align like a real screw driver, a 3Ø% longer outboard blade, and onethumb opening sliding jaws. Full size, real tools - the multi-tool just got a reality check.



BLISTER	вох	NSN	DESCRIPTION
N/A	3Ø-ØØ1427	511Ø-Ø1-673-4ØØ8	NEW ROTATABLE CARBIDE WIRE, BLACK + M4 BITSET & BERRY
			SHEATH BLACK
N/A	3Ø-ØØ1426	511Ø-Ø1-673-4ØØ9	NEW ROTATABLE CARBIDE WIRE, BLACK + M4 BERRY SHEATH COYOTE BROWN
31-ØØ3412	3Ø-ØØ1425	N/A	NEW ROTATABLE CARBIDE WIRE, BLACK + BITSET & MOLLE SHEATH
31-ØØ3Ø73	3Ø-ØØ1193	N/A	ROTATABLE CARBIDE WIRE, STAINLESS + BELT SHEATH
31-ØØ3Ø74	3Ø-ØØ1194	N/A	ROTATABLE CARBIDE WIRE, STAINLESS + BITSET & SHEATH
N/A	3Ø-ØØ1198	N/A	ROTATABLE CARBIDE WIRE, STAINLESS + BITSET & BERRY SHEATH
N/A	3Ø-ØØ14Ø7	N/A	ROTATABLE CARBIDE WIRE, STAINLESS + BERRY SHEATH
			COYOTE BROWN





#### DIESEL™

OVERALL LENGTH: 6.6" CLOSED LENGTH: 4.9" WEIGHT: 8.6 OZ. # T00LS: 14

Big. Tough. Capable. Versatile. The Diesel is all of these things and more, available to you at the flick of a wrist. With true one-handed deployment, this tool is the ultimate in efficiency. The industrial strength components are larger and stronger, for the toughest of jobs.





BLISTER	вох	NSN	DESCRIPTION
22-41545	22-Ø1545	511Ø-Ø1-54Ø-Ø186	NEEDLENOSE PLIERS, BLACK + SAF.T.PLUS™ LOCKING KNIFE
			& TOOLS
22-4147Ø	22-Ø147Ø	511Ø-Ø1-54Ø-Ø152	NEEDLENOSE PLIERS, STAINLESS + SAF.T.PLUS™ LOCKING KNIFE
			& TOOLS

#### eFECT™

OVERALL LENGTH: 8.Ø" CLOSED LENGTH: 3.5" WEIGHT: 3.Ø OZ. # T00LS:



BLISTER	BOX	NSN	DESCRIPTION
31-ØØØØ49	3Ø-ØØØØ3Ø	512Ø-Ø1-578-4888	MILITARY MAINTENANCE TOOL + SAF.T.PLUS™ LOCKING W/ SHEATH

#### SHORT STACK™ – AR-15 MAINTENANCE TOOL

OVERALL LENGTH: 2.9" WEIGHT: 2.8 OZ. # TOOLS: 15





BLISTER	BOX	NSN	DESCRIPTION
31-ØØ2997	3Ø-ØØ1113	N/A	41Ø SS TOOLS + MULTIPLE SCRAPING SURFACES

KNIVES I FOLDING SHEATH MULTI-TOOL I FULL SIZE

USA MADE

USA MADE



BLISTER	BOX	NSN	DESCRIPTION
48239	Ø8239	N/A	NEEDLENOSE, BLACK + SHEATH W/ SAF.T.PLUS™ LOCKING KNIFE
			& TOOLS
N/A	Ø8239G1	511Ø-Ø1-475-2144	NEEDLENOSE + BERRY SHEATH W/ SAF.T.PLUS™ LOCKING KNIFE & TOOLS




BLISTER	вох	NSN	DESCRIPTION
22455Ø9	22Ø55Ø9	N/A	NEEDLENOSE PLIERS, BLACK + AF.T.PLUS™ LOCKING KNIFE & TOOL
455ØØ	Ø55ØØ	511Ø-Ø1-462-34Ø5	NEEDLENOSE PLIERS, STAINLESS + AF.T.PLUS™ LOCKING KNIFE
			& TOOLS

MP6ØØ™ D.E.T.



BLISTER	вох	NSN	DESCRIPTION
31-ØØ1519	3Ø-ØØØ588	N/A	NEEDLENOSE, BLACK + SHEATH W/ SAF.T.PLUS™ LOCKING KNIFE & TOOLS
N/A	3Ø-ØØØ513	511Ø-Ø1-6Ø4-2Ø57	NEEDLENOSE, BLACK + TAN BERRY SHEATH W/ SAF.T.PLUS™ LOCKING KNIFE & TOOLS





 07570
 5110-01-462-3402
 MILITARY MAINTENANCE KIT + FIRECRACKER FLASHLIGHT COMBO

 07563
 5110-01-451-4945
 NEEDLENOSE MULTI-PLIER/STAINLESS + SHEATH

NOTES			

47563

MULTI-TOOL I FULL SIZE

### MP6ØØ™

OVERALL LENGTH: 6.4"
CLOSED LENGTH: 4.9"
WEIGHT: 9.Ø OZ.
# TOOLS: 14

As the #1 selling multi-tool platform to the US military, the MP6ØØ series has been to hell and back. Serving those who serve, this tool is built to be tough and accessible. A one-hand opening design is crucial, as is the durable stainless body, the variety of 14 tools, and multiple versions that are specialized for any situation.

BLISTER	вох	NSN	DESCRIPTION
N/A	Ø752Ø	N/A	BLUNTNOSE, BLACK
N/A	Ø752ØG1	511Ø-Ø1-346-5341	BLUNTNOSE, STAINLESS + LEATHER SHEATH W/ CARBIDE INSERT CUTTERS
N/A	Ø75ØØ		BLUNTNOSE, STAINLESS
N/A	Ø75Ø5G	511Ø-Ø1-346-534Ø	BLUNTNOSE, STAINLESS + LEATHER SHEATH W/ CARBIDE INSERT CUTTERS
N/A	Ø75ØØG	511Ø-Ø1-346-5339	BLUNTNOSE, STAINLESS + SHEATH W/ CARBIDE INSERT CUTTERS
N/A	Ø751ØG	511Ø-Ø1-385-7354	BLUNTNOSE, STAINLESS + SHEATH W/CARBIDE INSERT CUTTERS & TOOL KIT
N/A	Ø755ØG1	511Ø-Ø1-394-6252	NEEDLENOSE, BLACK + BERRY COMPLIANT SHEATH W/ CARBIDE INSERT CUTTERS
N/A	Ø7535G	511Ø-Ø1-394-6251	NEEDLENOSE, STAINLESS + LEATHER SHEATH W/ CARBIDE INSERT CUTTERS
N/A	Ø753ØG	511Ø-Ø1-394-6249	NEEDLENOSE, STAINLESS + SHEATH W/ CARBIDE INSERT CUTTERS
4755Ø	Ø755Ø	511Ø-Ø1-434-3458	NEEDLENOSE, BLACK
N/A	3Ø-ØØØ453	511Ø-Ø1-592-2581	NEEDLENOSE, BLACK + BERRY-COMPLIANT SHEATH W/ CARBIDE INSERT CUTTERS
N/A	3Ø-ØØØ314	511Ø-Ø1-321-88Ø5	NEEDLENOSE, BLACK + LEATHER SHEATH W/ CARBIDE INSERT CUTTERS
4753Ø	Ø753Ø	N/A	NEEDLENOSE, STAINLESS





#### **CARBIDE CUTTER INSERT REPLACEMENTS™**

Servicing a number of the Gerber multiplier platforms, these carbide cutter insert replacements are a lifesaver. Once you have used all three rotations of the current insert, replacement is a breeze with the T8 wrench, 4 replacement screws, and 2 included replacement blades.



BLISTER	BOX	NSN	DESCRIPTION
48252	N/A	N/A	CARBIDE CUTTER INSERT REPLACEMENTS

#### **CUSTOMFIT™ QUAD SHEATH**

5.5 OZ.

Designed to create a custom fit for a wide array of product combinations, the CustomFit Quad Sheath holds four items plus a pen. The patent-pending, richly featured sheath includes a quick access back panel that allows the user to customize it to perfectly fit the tools selected for the tasks of the day. Quiet Deploy™ technology is activated by simply pulling down the front tab for stealth-like access — they'll never hear you coming.





ISTER	POLY BAG	NSN	DESCRIPTION
Ά	3Ø-ØØ1224	N/A	CUSTOMFIT QUAD SHEATH-BERRY

# **DING DONG"**

OVERALL LENGTH:	27"
WEIGHT:	W/O SHEATH 12.25 LBS.
HANDLE:	MOLDED FIBERGLASS
SHEATH:	INCLUDED

When ringing the doorbell isn't a reality but the need to get through a barrier is, the Ding Dong combines 3 essential breaching tools. Designed for MOLLE compatibility, this sledgehammer, battering ram, pry bar hybrid is all business.




BLISTER	BOX	NSN	DESCRIPTION
N/A	3Ø-ØØØ79Ø	N/A	STEEL + FIBERGLASS, FORGED HEAD + PRY BAR + MOLLE SHEATH

#### **■** CUSTOMFIT™ DUAL SHEATH

5.1" WEIGHT: 2.9 OZ.

Designed to create a custom fit for a wide array of product combinations, the CustomFit Dual Sheath holds two items plus a pen. The patent-pending, richly featured sheath includes a quick access back panel that allows the user to customize it to perfectly fit the tools selected for the tasks of the day. Quiet Deploy<sup>™</sup> technology is activated by simply pulling down the front tab for stealth-like access — they'll never hear you coming.



USA MADE

USA MADE

BLISTER	POLY BAG	NSN	DESCRIPTION
N/A	3Ø-ØØ1222	N/A	CUSTOMFIT DUAL SHEATH-BERRY, HOLDS 2 ITEMS + PEN,
			MADE IN USA
N/A	3Ø-ØØ14Ø4	N/A	CUSTOMFIT DUAL SHEATH-BERRY BPGREEN, HOLDS 2 ITEMS + PEN,
			MADE IN USA
N/A	3Ø-ØØ135Ø	N/A	CUSTOMFIT DUAL SHEATH-BERRY COYOTE, HOLDS 2 ITEMS + PEN,
			MADE IN USA

#### **CONCERTINA CUTTER**

-1		
-	OVERALL LENGTH:	9.5"
į	WEIGHT:	1.125 LBS.
i	SHEATH:	INCLUDED

- Concertina Cutter
- MOLLE-Compatible Sheath
- Berry Compliant, Coyote Brown Sheath



BLISTER	BOX	NSN	DESCRIPTION
N/A	3Ø-ØØØØ74	511Ø-Ø1-576-8918	CONCERTINA WIRE CUTTER W/ COYOTE BROWN SHEATH

#### DOWNRANGE TOMAHAWK™

OVERALL LENGTH	10.031
OVERALL LENGTH:	19.27"
BLADE LENGTH:	2.7"
WEIGHT:	W/ SHEATH 1.9 LBS.
	W/O SHEATH 2.5 LBS.
HANDLE:	G-1Ø COMPOSITE
SHEATH:	INCLUDED

A marvel of simplicity, this tool has a single-minded goal: to settle the breaching argument. No barrier is a match for the beveled edge axe head, the hammer head element, or the pry bar built into the tan G-1Ø composite handle. A 42ØHC steel body won't break under pressure.



LISTER	вох	NSN	DESCRIPTION
I/A	3Ø-ØØØ715	N/A	FINE EDGE, INTEGRATED PRYING HANDLE + MOLLE SHEATH

#### IMPROMPTU™ PEN

OVERALL LENGTH: 5.6" DIAMETER: Ø.5" WEIGHT: 1.Ø 0Z.

Developed in collaboration with law enforcement professionals, this American made pen is not your average writing implement. Sure, it takes notes - in the rain, snow, or otherwise. But it also has a tough machined steel body and integrated glass-breaker tip, just in case the day takes a turn.



BLACK

#### BLISTER BOX NSN DESCRIPTION 31-ØØ3226 CARBIDE GLASS-BREAKER TIP, RITE IN THE RAIN® INK CARTRIDGE, FLAT DARK FARTH

#### 31-ØØ3227 CARBIDE GLASS-BREAKER TIP, RITE IN THE RAIN® INK CARTRIDGE, 31-001880 CARBIDE GLASS-BREAKER TIP, RITE IN THE RAIN® INK CARTRIDGE. BLACK

#### ENTRENCHING TOOL [E-TOOL]™ w/ PICK

OVERALL LENGTH: 23.75" CLOSED LENGTH: 9.25" 37.3Ø OZ. GLASS-FILLED NYLON



		`	
BLISTER	вох	NSN	DESCRIPTION
N/A	22-Ø1945	512Ø-Ø1-53Ø-9641	GLASS-FILLED NYLON HANDLE, FORGED STEEL HEAD W/ PICK

#### **■** ENTRENCHING TOOL [E-TOOL]™ w/ SHEATH OVERALL LENGTH: 23.39" CLOSED LENGTH: 9.37"

W/O SHEATH 53 OZ.



STER	BOX	NSN	DESCRIPTION	L-100L OLOGED	L-TOOL STILATT
	22-Ø1Ø62	512Ø-Ø1-58Ø-7174	HARNESS, ANODIZED 7Ø75 A	LUMINUM SHAFT, WEB	BELT + MOLLE
			COMPATIBLE SHEATH		

#### ENTRENCHING TOOL [E-TOOL]™ FOLDING SPADE







USA MADE

USA BUILT W/ GLOBAL PARTS

BLISTER	BOX	NSN	DESCRIPTION
I/A	Ø5942	512Ø-Ø1-476-7556	GLASS-FILLED NYLON HANDLE, FORGED STEEL HEAD

#### MP6ØØ™ PRO SCOUT

OVERALL LENGTH: 6.6" CLOSED LENGTH: 5.Ø" WEIGHT: # T00LS:

USA MADE



1	BLISTER	BOX	NSN	DESCRIPTION	
1	N/A	Ø7564	N/A	NEEDLENOSE MULTI-PLIER/STAINLESS + SHEATH W/ TOOL	. KIT

#### **NOTES**

**EQUIPMENT EQUIPMENT** 

#### MINE PROBE KIT™ BASIC

WEIGHT: 13.6 OZ. SHEATH: INCLUDED



LISTER	BOX	NSN	DESCRIPTION
/A	Ø5984	518Ø-Ø1-516-3233	BASIC MINE PROBE KIT + MOLLE & BERRY-SHEATH

# **■** MINE PROBE KIT™ DELUXE

22 OZ. SHEATH:



i	BLISTER	BOX	NSN	DESCRIPTION
1	N/A	Ø5982	518Ø-Ø1-516-3229	DELUXE MINE PROBE KIT, MAGLITE SOLITAIRE WHITE, MP6ØØ D.E.T.
1				

#### INDIVIDUAL SURVEILLANCE KIT [ISK]™



		U	1 1 1
NSN	DESC RIPTION		i

## INDIVIDUAL DEPLOYMENT [ID] KITS™

SHEATH W/ COMPONENTS: 4" x 2" x 6"

- Strap Cutter
- MOLLE-Compatible Sheath - MP6ØØ eFECT
- Sidewinder Flashlight





USA BUILT W/ GLOBAL PARTS

BLISTER	BOX	NSN	DESCRIPTION
N/A	3Ø-ØØØ366	518Ø-Ø1-598-2249	COYOTE BROWN STRAP CUTTER + COYOTE BROWN MOLLE-SHEATH
N/A	3Ø-ØØØ367	518Ø-Ø1-598-2251	COYOTE BROWN STRAP CUTTER + MULTI-CAM MOLLE-SHEATH

# OFF-ROAD / SURVIVAL / SUV KIT™





2.7 LBS. SHEATH: INCLUDED

- Mine Probe System - MP6ØØ D.E.T.
- Sidewinder Flashlight - Concertina Cutter
- MOLLE-Compatible Sheath



BLISTER E	30X	NSN	DESCRIPTION
V/A 3	BØ-ØØØ126	518Ø-Ø1-578-4886	MINE PROBE SYSTEM + COYOTE BROWN MOLLE-SHEATH

#### FIREARM CLEANING KITS

M4 / M16 32.Ø OZ. 5Ø CALIBER 24.8 OZ. SHOTGUN 22.2 OZ. 9MM / .45 PISTOL 2Ø.2 OZ. PISTOL / SMG 22.2 OZ RIFLE / SHOTGUN / PISTOL 32.2 OZ.

Each firearm cleaning kit has been developed to cater to a specific firearm, giving you every resource you need to clean and maintain your weapon at home or in the field. Each kit varies slightly in tools, but all are contained within a MOLLE-compatible sheath.



22-Ø11ØØ 518Ø-Ø1-516-3219 M4 / M16 KIT + MOLLE-COMPATIBLE SHEATH
22-Ø11Ø1 518Ø-Ø1-516-3218 7.62MM RIFLE KIT + MOLLE-COMPATIBLE SHEATH 518Ø-Ø1-516-3224 5Ø CALIBER KIT + MOLLE-COMPATIBLE SHEATH SHOTGUN KIT + MOLLE-COMPATIBLE SHEATH 22-Ø11Ø2 518Ø-Ø1-516-322Ø 9MM / .45 PISTOL KIT + MOLLE-COMPATIBLE SHEATH 518Ø-Ø1-516-3225 RIFLE / SHOTGUN/ PISTOL KIT + MOLLE-COMPATIBLE SHEATH INDIVIDUAL KIT CONTENTS ON ADJACENT PAGE. 22-Ø11Ø5

#### FIREARM CLEANING KIT CONTENTS

		M4 / M16 KIT	7.62 RIFLE KIT	5Ø CAL KIT	SHOTGUN KIT	9MM & .45 PISTOL KIT	PISTOL / SMG KIT	RIFLE / SHOTGUN / Pistol Kit
	PART NUMBER	22-Ø11ØØ	22-Ø11Ø1	22-Ø11Ø4	22-Ø11Ø3	22-Ø11Ø2	22-Ø11Ø6	22-Ø11Ø5
	NSN NUMBER	518Ø-Ø1-516-3219	518Ø-Ø1-516-3218	518Ø-Ø1-516-3224	518Ø-Ø1-516-3222	518Ø-Ø1-516-322Ø	518Ø-Ø1-516-3227	518Ø-Ø1-516-3225
BORE BRUSHES	5.56 MM	Х						
	.3Ø CALIBER		х					
	.35 CALIBER	Х						
	.38 CALIBER					х	Х	
	.38 CALIBER NYLON					Х		
	.4Ø CALIBER				Х			
	.45 CALIBER		Х				Х	
	12 GAUGE			Х	х			
	.58 CALIBER			х				
	8" .5Ø CAL CABLE			х				
	4Ø" .5Ø CAL CABLE			х				
S	12" PISTOL CABLE						Х	
CABLES	2Ø" RIFLE CABLE						Х	
C	8" CABLE	X	Х			X		
	8" CABLE W/ .3Ø CAL TIP						Х	
	3Ø" RIFLE CABLE	Х	Х		Х			
Š	5.56 MM	X						
SLOTTED TIPS	.3Ø CALIBER	Х	Х			Х	Х	
	SHOTGUN				Х			
3	.5Ø CALIBER			х				
	BLACK CENTER DRIVE Multi-tool W/ MP1ar bit set	X	х	х	х	х	Х	х
	(MAGLITE) RED LED Flashlight	X	X	X	X	X	Х	х
	BORE REFLECTOR / Flag safety	Х	Х	х	х	X	Х	
	BIO-CLP	Х					Х	Х
	SOLVENT/CLP		х	х	Х	X		
	PANOPLY PATCHES		Х	Х	Х	х	Х	
,	5.56 PATCHES	X						
ENTS	PATCH SAVER				Х			
COMPONENTS	Q-TIPS	Х						
OTHER CON	T-HANDLE & OBSTRUCTION REMOVER	Х	Х	х	х	X	Х	
E	NATO ADAPTER	X	Х		Х	Х	Х	
	FEMALE ROD HANDLE	Х	Х	х	Х	Х	Х	
	MALE ROD HANDLE				х			
	SHORT A/P BRUSH	Х	х	х	х	Х	Х	
	NYLON END BRUSH	Х	х	х		Х	Х	
	BRASS SCRAPER	Х	х	х		х	Х	
	BRASS PICK	Х	х			X	Х	
	PIN PUNCH						Х	
	LENS CLEANER	Х						
	MOHAIR LENS BRUSH		Х					

N	0	Т	Ε	•



# więcej w naszych pozostałych katalogach lub u Twojego opiekuna BAS Kreacji

# www.baskreacja.pl info@baskreacja.pl 22 418 88 88

